L Number	Hits	Search Text	DB	Time stamp
-	1220	709/219.ccls. and @ad<20000907	USPAT	2003/11/10 13:26
-	0	(communicat$4 NEAR4 "DCOM") NEAR5 (connect$4 NEAR4 adapter)	USPAT	2003/11/10 13:28
-	0	("DCOM") NEAR5 (connect$4 NEAR4 adapter)	USPAT	2003/11/10 13:28
-	4	("DCOM") NEAR5 (connect$4 NEAR10 adapter)	USPAT	2003/11/10 15:18
-	9596	(access$4 or communicat$4 or establish$4) NEAR5 client and @ad<20000907	USPAT	2003/11/10 15:33
-	200	(resource NEAR5 access) and ((identification or identifier or username) NEAR5 password)	USPAT	2003/11/10 15:30
-	120	((access$4 or communicat$4 or establish$4) NEAR5 client and @ad<20000907) and ((resource NEAR5 access) and ((identification or identifier or username) NEAR5 password))	USPAT	2003/11/10 15:25
-	43	((resource NEAR5 access) and ((identification or identifier or username) NEAR5 password)) and adapter	USPAT	2003/11/10 15:25
-	43	(((resource NEAR5 access) and ((identification or identifier or username) NEAR5 password)) and adapter) and ((resource NEAR5 access) and ((identification or identifier or username) NEAR5 password))	USPAT	2003/11/10 15:26
-	2	((external NEAR3 resource) NEAR5 access) and ((identification or identifier or username) NEAR5 password)	USPAT	2003/11/10 15:31
-	52	((external NEAR3 resource) NEAR5 access) and @ad<20000907	USPAT	2003/11/10 15:31
-	236	(access$4 or communicat$4 or establish$4) NEAR5 (remote adj client) and @ad<20000907	USPAT	2003/11/10 15:36
-	1	(((external NEAR3 resource) NEAR5 access) and @ad<20000907) and ((access$4 or communicat$4 or establish$4) NEAR5 (remote adj client) and @ad<20000907)	USPAT	2003/11/10 15:35
-	3	((access$4 or communicat$4 or establish$4) NEAR5 (remote adj client) and @ad<20000907) and (external NEAR3 resource)	USPAT	2003/11/10 15:36
-	8	(access$4 or communicat$4 or establish$4) NEAR5 (remote adj client) NEAR4 device and @ad<20000907	USPAT	2003/11/10 15:38
-	10	((access$4 or communicat$4 or establish$4) NEAR5 (peripheral or device or resource or scanner or drive)) NEAR5 (remote adj client) and @ad<20000907	USPAT	2003/11/10 16:02
-	23	("4654482" | "4841132" | "4866257" | "4868375" | "5288976" | "5331547" | "5483052" | "5490217" | "5600833" | "5635694" | "5640193" | "5664231" | "5717737" | "5804803" | "5870088" | "5881230" | "5905248" | "5978773" | "5987611" | "6012102" | "6041374" | "6094689" | "6144848").PN.	USPAT	2003/11/10 15:55
-	0	6507864.URPN.	USPAT	2003/11/10 16:02
-	6	(709/219.ccls. and @ad<20000907) and ((remote NEAR3 access) NEAR5 (peripheral or "SCSI" or external) and @ad<20000907)	USPAT	2003/11/10 16:03
-	128	(remote NEAR3 access) NEAR5 (peripheral or "SCSI" or external) and @ad<20000907	USPAT	2003/11/13 08:07
-	16	("5136695" | "5410706" | "5590315" | "5604509" | "5712978" | "5721842" | "5732212" | "5764974" | "5794239" | "5825336" | "6128731" | "6230194" | "6381700" | "6393492" | "6415289" | "6442549").PN.	USPAT	2003/11/12 08:20
-	18	("5237693" | "5317693" | "5325527" | "5548724" | "5598538" | "5659794" | "5687320" | "5790809" | "5832298" | "5862404" | "5870562" | "5901286" | "5950203" | "5991829" | "5996024" | "6003065" | "6003133" | "6101555").PN.	USPAT	2003/11/12 08:23
-	5	6327613.URPN.	USPAT	2003/11/12 09:15
-	11	6101555.URPN.	USPAT	2003/11/12 09:24

-	1	(shar$4 NEAR5 (peripheral$1 or device$1 or "SCSI")) same ("DCOM") and @ad<20000907	USPAT	2003/11/12 09:57
-	36	(shar$4 NEAR5 (peripheral$1 or device$1 or "SCSI")) and ("DCOM") and @ad<20000907	USPAT	2003/11/12 10:48
-	2582	(shar$4 NEAR5 (peripheral$1 or (external adj device$1) or "SCSI")) and @ad<20000907	USPAT	2003/11/12 11:20
-	8	((shar$4 NEAR5 (peripheral$1 or (external adj device$1) or "SCSI")) and @ad<20000907) and ((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model")	USPAT	2003/11/12 10:55
-	6	(DCOM NEAR4 link) and @ad<20000907	USPAT	2003/11/12 11:12
-	0	(password NEAR5 DCOM) and @ad<20000907	USPAT	2003/11/12 11:13
-	0	((shar$4 NEAR5 (peripheral$1 or (external adj device$1) or "SCSI")) and @ad<20000907) and (adapter NEAR20 "gui")	USPAT	2003/11/12 11:16
-	8	((shar$4 NEAR5 (peripheral$1 or (external adj device$1) or "SCSI")) and @ad<20000907) and (adapter NEAR20 (user adj interface))	USPAT	2003/11/12 11:16
-	2485	(shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907	USPAT	2003/11/13 11:34
-	166	((shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907) and (adapter NEAR4 interface)	USPAT	2003/11/12 11:21
-	2	((shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907) and (adapter and (graphical adj interface))	USPAT	2003/11/12 11:22
-	16	((shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907) and 709/219.ccls.	USPAT	2003/11/12 11:22
-	4	((shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907) and (username NEAR3 password)	USPAT	2003/11/12 15:26
-	0	(((shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907) and password) and ((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model")	USPAT	2003/11/12 15:35
-	64	((shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907) and password	USPAT	2003/11/12 15:28
-	437	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907	USPAT	2003/11/12 15:35
-	135	(((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password	USPAT	2003/11/12 15:36
-	71	((((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and adapter$1	USPAT	2003/11/12 15:41
-	38	((((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and (connecct$3 or communicat$4) NEAR4 adapter$1	USPAT	2003/11/12 15:37
-	33	(((((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and adapter$1) not (((((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and (connecct$3 or communicat$4) NEAR4 adapter$1)	USPAT	2003/11/12 15:47
-	88	(remote$3 NEAR5 access$3) NEAR4 (peripheral$1 or "SCSI" or "CD-R" or scanner) and @ad<20000907	USPAT	2003/11/12 15:48
-	0	((remote$3 NEAR5 access$3) NEAR4 (peripheral$1 or "SCSI" or "CD-R" or scanner) and @ad<20000907) and ((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model")	USPAT; US-PGPUB	2003/11/12 15:49

-	93	(remote$3 NEAR5 access$3) NEAR4 (peripheral$1 or "SCSI" or "CD-R" or scanner) and @ad<20000907	USPAT; US-PGPUB	2003/11/12 15:49
-	1	(shar$4 NEAR3 (peripheral$1 or device$1 or scanner or (external adj harddrive)) NEAR5 password) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:04
-	3	shar$4 NEAR3 (peripheral$1 or device$1 or scanner or (external adj harddrive)) NEAR20 password and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:05
-	6	shar$4 NEAR5 (peripheral$1 or device$1 or scanner or (external adj harddrive)) NEAR20 password and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:05
-	997	(remote NEAR3 access) NEAR5 (peripheral$1 or "SCSI" or scanner or device$1) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:11
-	7	((remote NEAR3 access) NEAR5 (peripheral$1 or "SCSI" or scanner or device$1) and @ad<20000907) and (SCSI adj adapter)	USPAT; US-PGPUB	2003/11/13 08:11
-	54	((remote NEAR3 access) NEAR5 (peripheral$1 or "SCSI" or scanner or device$1) and @ad<20000907) and ((identification or username) NEAR4 password)	USPAT; US-PGPUB	2003/11/13 08:12
-	45	(((remote NEAR3 access) NEAR5 (peripheral$1 or "SCSI" or scanner or device$1) and @ad<20000907) and ((identification or username) NEAR4 password)) and (icon or "gui" or interface)	USPAT; US-PGPUB	2003/11/13 08:12
-	27	(connection NEAR4 password) same (access NEAR4 password) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 10:34
-	11	multiple NEAR5 password NEAR8 enter	USPAT; US-PGPUB	2003/11/13 10:35
-	55	enter NEAR5 password NEAR4 twice	USPAT; US-PGPUB	2003/11/13 10:41
-	1	(double or twice) NEAR5 password NEAR4 protection	USPAT; US-PGPUB	2003/11/13 10:43
-	19	(multi NEAR4 level) NEAR5 password	USPAT; US-PGPUB	2003/11/13 10:59
-	0	reverifying NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:03
-	0	reverify NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	0	"re-verify" NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	0	recheck NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	698	verify NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	500	(verify NEAR5 password) and multiple	USPAT; US-PGPUB	2003/11/13 11:07
-	608	multiple NEAR5 verification	USPAT; US-PGPUB	2003/11/13 11:07
-	401	multiple NEAR3 verification	USPAT; US-PGPUB	2003/11/13 11:08
-	0	multiple NEAR3 verification NEAR3 password	USPAT; US-PGPUB	2003/11/13 11:08
-	73	(multiple NEAR3 verification) and password	USPAT; US-PGPUB	2003/11/13 11:10
-	185	"re-enter" NEAR4 password	USPAT; US-PGPUB	2003/11/13 11:10
-	2485	(shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907	USPAT	2003/11/13 11:35
-	1	((shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907) and (choos$4 NEAR6 adapter)	USPAT	2003/11/13 11:35
-	47	((shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907) and ((choos$4 or select$3 or pick$3) NEAR6 adapter)	USPAT	2003/11/13 11:37
-	1	(((shar$4 NEAR5 (peripheral$1 or "SCSI")) and @ad<20000907) and ((choos$4 or select$3 or pick$3) NEAR6 adapter)) and password	USPAT	2003/11/13 11:52
-	181	(local adj client) NEAR5 server	USPAT	2003/11/13 13:04
-	8	interface NEAR4 provid$3 NEAR5 password	USPAT	2003/11/13 13:08
-	1167	display$3 NEAR5 (username or password)	USPAT	2003/11/13 13:08

-	24	display$3 NEAR5 (username or password) NEAR5 interface	USPAT	2003/11/13 13:11
-	18	display$3 NEAR5 (username and password)	USPAT	2003/11/13 13:17
-	89	SCSI NEAR4 (inquiry NEAR5 command$1)	USPAT	2003/11/13 13:18
-	5	(SCSI NEAR4 (inquiry NEAR5 command$1)) and (remote NEAR4 (client or access))	USPAT	2003/11/13 13:23
-	8	icon NEAR4 (represent$3 NEAR4 adapter)	USPAT	2003/11/13 14:02
-	0	(SCSI NEAR4 command$1) NEAR20 DCOM	USPAT	2003/11/13 14:02
-	1084	(SCSI NEAR4 command$1) and @ad<20000907	USPAT	2003/11/13 14:03
-	1	((SCSI NEAR4 command$1) and @ad<20000907) and DCOM	USPAT	2003/11/13 14:03
-	12	dcom with (authenticat$3 or GUI) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 16:41
-	8	dcom with (authentic$5 or login or logon or (access adj control)) and @ad<20000907	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:42
-	5	windows NEAR10 (login or logon or password) and (firewall NEAR5 (authentic$5 or password)) and @ad<20000907	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:46
-	130	(login or logon or password) and (firewall NEAR5 (authentic$5 or password)) and @ad<20000907	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:46
-	8	dcom with gui	USPAT; US-PGPUB	2003/11/17 15:02
-	291	dcom and gui	USPAT; US-PGPUB	2003/11/17 15:19
-	123	(dcom and gui) and @ad<20000907	USPAT; US-PGPUB	2003/11/17 15:03
-	123	DCOM and gui and @ad<20000907	USPAT; US-PGPUB	2003/11/17 15:19
-	1	6463459.pn.	USPAT; US-PGPUB	2003/11/17 15:20
-	9	gui with (login or logon or password) NEAR3 information and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:38
-	0	issu$3 with (logon or login or username or password) NEAR4 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:39
-	0	issu$3 NEAR5 (logon or login or username or password) NEAR4 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:39
-	0	issu$3 NEAR15 (logon or login or username or password) NEAR4 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	0	issu$3 NEAR15 (logon or login or username or password) NEAR8 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	663	issu$3 NEAR15 (logon or login or username or password) and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	718	issu$3 with (logon or login or username or password) and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	345	issu$3 NEAR3 (logon or login or username or password) and @ad<20000907	USPAT; US-PGPUB	2003/11/18 10:54